Proposed Amendments

to the

Water Quality Control Plan - Los Angeles Region for the

Revolon Slough and Beardsley Wash Trash TMDL

Amendments:

Table of Contents

Add:

Chapter 7. Total Maximum Daily Loads (TMDLs)

7-24 Revolon Slough and Beardsley Wash Trash TMDL

List of Figures, Tables and Inserts

Add:

Chapter 7. Total Maximum Daily Loads (TMDLs) Tables

7-24 Revolon Slough and Beardsley Wash Trash TMDL

7-24.1. Revolon Slough and Beardsley Wash Trash TMDL, Elements

7-24.2a. Revolon Slough and Beardsley Wash Trash TMDL, Implementation Schedule – Full Capture Implementation Schedule

7-24.2b. Revolon Slough and Beardsley Wash Trash TMDL, Implementation Schedule – Minimum Frequency Assessment and Collection Schedule

Chapter 7. Total Maximum Daily Loads (TMDLs) Revolon Slough and Beardsley Wash Trash TMDL

This TMDL was adopted by:

The Regional Water Quality Control Board on June 7, 2007. The State Water Resources Control Board on [Insert Date]. The Office of Administrative Law on [Insert Date]. The U.S. Environmental Protection Agency on [Insert Date].

The elements of the TMDL are presented in Table 7-24.1 and the

Implementation Plan in Tables 7-24.2a and 7-24.2b.

Table 7-24.1 Revolon Slough and Beardsley Wash Trash TMDL: Elements

Element	Revolon Slough and Beardsley Wash Trash TMDL	
Problem Statement	Current levels of trash discharges into Revolon Slough and	
	Beardsley Wash violate water quality objectives and are	
	impairing beneficial uses. Relevant water quality	
	objectives include Floating Material and Solid, Suspended,	
	or Settleable Materials. The following designated beneficial	
•	uses are impacted by trash: water contact recreation	
•	(REC1); non-contact water recreation (REC2); warm	
•	freshwater habitat (WARM); wildlife habitat (WILD);	
	wetland habitat (WET).	
Numeric Target	Zero trash in Revolon Slough and Beardsley Wash, and in	
(interpretation of the	the channel. Zero is defined as (1) no trash immediately	
narrative water quality	following each assessment and collection event consistent	
objective, used to	with an established Minimum Frequency of Assessment	
calculate the load	and Collection Program (MFAC Program) or (2) installing	
allocations)	full capture systems on conveyances that discharge to	
	Revolon Slough and Beardsley Wash through a progressive	
	implementation schedule. The MFAC Program is	
	established at an interval that prevents trash from	
	accumulating in deleterious amounts that cause nuisance	
	or adversely affect beneficial uses between collections.	
Source Analysis	Litter from adjacent land areas, roadways and direct	
	dumping and deposition are sources of trash to Revolon	
	Slough and Beardsley Wash. Point sources such as storm	
	drains are also sources of trash discharged to Revolon	
•	Slough and Beardsley Wash.	
Loading Capacity	Zero, as defined in the Numeric Target.	
Waste Load Allocations	Waste Load Allocations (WLAs) are assigned to the	
(for point sources)	, , ,	
ge. Pente eem ees,	Co-Permittees of the Ventura County Municipal Separate	
	Storm Sewer System (MS4) Permit, including Ventura	
	County, the Ventura County Watershed Protection	
	District, the City of Camarillo, and the City of Oxnard, and	
	local landowners. WLAs are zero trash. WLAs may be	
	issued to additional responsible jurisdictions in the future	
•	under Phase 2 of the US EPA Stormwater Permitting	
	Program, or other applicable regulatory programs.	
Load Allocations (for	Load Allocations (LAs) are assigned to land owners and	
nonpoint sources)	agencies in the vicinity of Revolon Slough and Beardsley	
nonpoint cources,	Wash, including the County of Ventura, Ventura County	
	Watershed Protection District, City of Camarillo, City of	
	Oxnard, and Agricultural entities in the Revolon Slough	
· ·	and Beardsley Wash subwatersheds. LAs are zero trash.	
	LAs may be issued to additional responsible jurisdictions	
	in the future under applicable regulatory programs.	
Implementation	Implementation of the trash TMDL for Revolon Slough and	
mpiementation	Beardsley Wash includes structural and non-structural	
	best management practices (BMPs) and a program of	
	minimum frequency of assessment and collection (MFAC)	
	to address point and nonpoint trash sources.	

Point Sources

WLAs shall be implemented through storm water permits and via the authority vested in the Executive Officer by section 13267 of the Porter-Cologne Water Quality Control Act (Water Code section 13000 et seq.).

If point source dischargers comply with WLAs by implementing an Executive Officer certified full capture system on conveyances that discharge to Revolon Slough and Beardsley Wash through a progressive implementation schedule of full capture devices, they will be deemed in compliance with the WLA.

In certain circumstances (if approved by the Executive Officer), point source dischargers may also comply with WLAs by implementing a program for minimum frequency of assessment and collection in conjunction with best management practices (MFAC/BMPs).

1. Compliance with the final WLA may be achieved through an adequately sized and maintained full capture system that has been certified by the Executive Officer. A full capture system is any device or series of devices that traps all particles retained by a 5 mm mesh screen and has a design treatment capacity of not less than the peak flow rate (Q) resulting from a one-year, one-hour, storm in the sub-drainage area. The rational equation is used to compute the peak flow rate:

 $Q = C \times I \times A$, where

Q = design flow rate (cubic feet per second, cfs);

C = runoff coefficient (dimensionless);

I = design rainfall intensity (inches per hour); and A= subdrainage area (acres).

Point sources that choose to comply via a full capture system, must demonstrate a phased implementation of full capture devices over an 8-year period until the final WLA of zero is attained. Zero will be deemed to have been met if full capture systems have been installed on all conveyances discharging to Revolon Slough and Beardsley Wash.

Irrespective of whether point sources employ a full capture system, they may comply with the WLA in any lawful manner.

2. Compliance through a MFAC program in conjunction with BMPs may be proposed to the Regional Board for incorporation into the relevant NPDES permit. The MFAC program must include requirements equivalent to those described in the Conditional Waiver set forth below. Agencies that are listed as both point and nonpoint sources will be deemed in compliance with both the WLAS

and LAs if a MFAC/BMP program, approved by the Executive Officer, is implemented.
Nonpoint Sources

LAs shall be implemented through either (1) a conditional waiver from waste discharge requirements, or (2) an alternative program implemented through waste discharge requirements or an individual waiver or another appropriate order of the Regional Board.

Non-point source dischargers may achieve compliance with the LAs by implementing a MFAC/BMP program approved by the Executive Officer. Responsible jurisdictions that are listed as both point and nonpoint sources will be deemed in compliance with both the WLAs and LAs if an MFAC/BMP program, approved by the Executive Officer, is implemented.

- 1) Conditional Waiver: Pursuant to Water Code section 13269, waste discharge requirements are waived for any responsible jurisdiction that implements a MFAC/BMP Program which, to the satisfaction of the Executive Officer, meets the following criteria:
 - a) The MFAC/BMP Program includes an initial minimum frequency of trash assessment and collection and suite of structural and/or nonstructural BMPs. The MFAC/BMP program shall include collection and disposal of all trash found in the water and on the shoreline. Responsible jurisdictions shall implement an initial suite of BMPs based on current trash management practices in land areas that are found to be sources of trash to Revolon Slough and Beardsley Wash. For Revolon Slough and Beardsley Wash, the initial minimum frequency shall be set as follows:
 - 1. Monthly on Revolon Slough and its adjacent land areas at Wood Road (the end of the concrete-lined channel).
 - 2. Bi-monthly on the water, shoreline and channels of Beardsley Wash and Revolon Slough in areas under the jurisdiction of the County of Ventura, and agricultural lands.
 - 3. Monthly assessment and collection at outlets on north side of Camarillo Hills Drain between Las Posas Rd. and Wood Rd.
 - 4. Monthly on Las Posas Estate Drain between Central Ave. and the 101 Freeway.
 - 5. Monthly at the inlet to the North Ramona Place Drain debris basin.

- 6. Monthly at inlet to Beardsley Wash at Wright Road and the adjacent land areas.
- 7. Monthly on a rotating basis of the following channels from the City of Oxnard (i.e. one drain cleaned per month):
 - a. Fifth Street Drain from Del Norte Blvd. to Revolon Slough
 - b. Sturgis Drain from Oxnard City Limits to Revolon Slough
 - c. Nyeland Drain from Center Drive to Friedrich Rd.
 - d. Del Norte Drain from Del Norte Blvd. to Revolon Slough
- 8. All Drains listed above will also be cleaned within one week of every storm event greater than 1 inch of rain.
- b) The MFAC/BMP Program includes reasonable assurances that it will be implemented by the responsible jurisdiction.
- c) The MFAC/BMP Program includes a Trash Monitoring and Reporting Plan, as described below, and a requirement that the responsible jurisdictions will self-report any non-compliance with its provisions. The results and report of the Trash Monitoring and Reporting Plan must be submitted to Regional Board on an annual basis.
- d) MFAC protocols may be based on SWAMP protocols for rapid trash assessment, or alternative protocols proposed by dischargers and approved by the Executive Officer.
- e) Implementation of the MFAC/BMP program should include a Health and Safety Plan to protect personnel. The MFAC/BMP shall not require responsible jurisdictions to access and collect trash from areas where personnel are prohibited.

Compliance for Agricultural Sources

For agricultural dischargers, the Conditional Waiver for Irrigated Lands will be revised to include a MFAC/BMP program for enrollees in the Revolon Slough and Beardsley Wash subwatershed.

The Executive Officer may approve or require a revised assessment and collection frequency and definition of the critical conditions under the waiver:

(a) To prevent trash from accumulating in deleterious amounts that cause nuisance or adversely affect

- beneficial uses between collections;
- (b) To reflect the results of trash assessment and collection;
- (c) If the amount of trash collected does not show a decreasing trend, where necessary, such that a shorter interval between collections is warranted; or
- (d) If the amount of trash collected is decreasing such that a longer interval between collections is warranted.

At the end of the implementation period, a revised MFAC/BMP program may be required if the Executive Officer determines that the amount of trash accumulating between collections is causing nuisance or otherwise adversely affecting beneficial uses.

With regard to (a), (b) or (c), above, the Executive Officer is authorized to allow responsible jurisdictions to implement additional structural or non-structural BMPs in lieu of modifying the monitoring frequency.

Any waivers implementing the TMDL shall expire pursuant to Water Code section 13269 five years after the effective date of this TMDL, unless reissued. The Regional Board may reissue this waiver through an order consistent herewith, instead of readopting these regulatory provisions.

(2) Alternatively, responsible jurisdictions may propose, or the Regional Board may impose, an alternative program which would be implemented through waste discharge requirements an individual waiver, a cleanup and abatement order, or any other appropriate order or orders, provided the program is consistent with the assumptions and requirements of the reductions described in Table 7-24.2b, below.

Within six months of the effective date of this TMDL, the Executive Officer shall require responsible jurisdictions to submit either a notice of intent to be regulated under the conditional waiver with their proposed MFAC/BMP Program and Trash Monitoring and Reporting Plan (TMRP), or a report of waste discharge.

Monitoring and Reporting Plan

Responsible jurisdictions will develop a TMRP for Executive Officer approval that describes the methodologies that will be used to assess and monitor trash in Revolon Slough and Beardsley Wash and/or within responsible jurisdiction land areas. The TMRP shall include a plan to establish the trash Baseline WLAs for non-Caltrans entities, or an alternative to the default trash baseline for Caltrans to prioritize installation of full capture devices. The default trash baseline WLA for Caltrans is 6677.4 gallons per square mile per year.

Requirements for the TMRP shall include, but are not limited to, assessment and quantification of trash collected from the surfaces and shoreline of Revolon Slough and Beardsley Wash or from responsible jurisdiction land areas. The monitoring plan shall provide details of the frequency, location, and reporting of trash monitoring. Responsible jurisdictions shall propose a metric (e.g., weight, volume, pieces of trash) to measure the amount of trash in Revolon Slough and Beardsley Wash and on the land area surrounding Revolon Slough and Beardsley Wash.

The TMRP shall include a prioritization of areas that have the highest trash generation rates. The TMRP shall give preference to this prioritization when scheduling the installation of full capture devices, BMPs, or trash collection programs.

The TMRP shall also include an evaluation of effectiveness of the MFAC/BMP program to prevent trash from accumulating in deleterious amounts that cause nuisance or adversely affect beneficial uses between collections, proposals to enhance BMPs, and a revised MFAC for Executive Officer review.

Responsible Jurisdictions may coordinate their TMRP activities for Revolon Slough and Beardsley Wash.

Margin of Safety

Zero is a conservative numeric target which contains an implicit margin of safety.

Seasonal Variations and Critical Conditions

Discharge of trash from the conveyances occurs primarily during or shortly after a major rain event. Discharge of trash from nonpoint sources occurs during all seasons, but can be increased during or shortly after high wind events, which are defined as periods of wind advisories issued by the National Weather Service.

Table 7-24.2a Revolon Slough and Beardsley Wash Trash TMDL: Implementation Schedule Full Capture System

Task No.	Task	Responsible Jurisdiction	Date
1	Submit Trash	City of Camarillo; City of Oxnard;	6 months from
-	Monitoring and	Ventura County Watershed	effective date of
	Reporting Plan,	Protection District; Ventura	TMDL. If a plan
	including a plan	County; Caltrans; Local land	is not approved
*	for defining the	owners with conveyances	by the Executive
	trash baseline		Officer within 9
	WLA and a		months, the
	proposed		Executive Officer
	definition of		will establish an
	"major rain event".		appropriate
			monitoring plan.
2	Implement Trash	City of Camarillo; City of Oxnard;	6 months from
	Monitoring and	Ventura County Watershed	receipt of letter of
	Reporting Plan.	Protection District; Ventura	approval from
		County; Caltrans; Local land	Regional Board
		owners with conveyances	Executive Officer,
			or the date a plan
			is established by
			the Executive
2	Crahanit assessites of	Oites of Comparilles Cites of Compared	Officer.
3	Submit results of	City of Camarillo; City of Oxnard;	2 years from
,	Trash Monitoring	Ventura County Watershed Protection District; Ventura	receipt of letter of approval for the
•	and Reporting Plan, recommend	County; Caltrans; Local land	Trash Monitoring
	trash baseline	owners with conveyances	and Reporting
	WLA, and propose	owners with conveyances	Plan from
	Full Capture	• .	Regional Board
	System		Executive Officer.
	prioritization.		
4	Installation of Full	City of Camarillo; City of Oxnard;	Four years from
	Capture Systems	Ventura County Watershed	effective date of
	to achieve 20% ·	Protection District; Ventura	TMDL.
	reduction of trash	County; Caltrans; Local land	
	from Baseline	owners with conveyances	
	WLA*.		· · · · · ·
5	Installation of Full	City of Camarillo; City of Oxnard;	Five years from
	Capture Systems	Ventura County Watershed	effective date of
	to achieve 40%	Protection District; Ventura	TMDL.
	reduction of trash	County; Caltrans; Local land	
	from Baseline	owners with conveyances	
	WLA*.		
6	Evaluate the	Regional Board.	Five years from
*	effectiveness of		effective date of
	Full Capture	·	TMDL.
	Systems, and		
	reconsider the		
	WLA.		

7	Installation of Full Capture Systems to achieve 60% reduction of trash from Baseline WLA*.	City of Camarillo; City of Oxnard; Ventura County Watershed Protection District; Ventura County; Caltrans; Local land owners with conveyances	Six years from effective date of TMDL.
8	Installation of Full Capture Systems to achieve 80% reduction of trash from Baseline WLA*.	City of Camarillo; City of Oxnard; Ventura County Watershed Protection District; Ventura County; Caltrans; Local land owners with conveyances	Seven years from effective date of TMDL.
9	Installation of Full Capture Systems to achieve 100% reduction of trash from Baseline WLA*.	City of Camarillo; City of Oxnard; Ventura County Watershed Protection District; Ventura County; Caltrans; Local land owners with conveyances	Eight years from effective date of TMDL.

Compliance with percent reductions from the Baseline WLA will be assumed wherever full capture systems are installed in corresponding percentages of the conveyance discharging to Revolon Slough and Beardsley Wash. Installation will be prioritized based on the greatest point source loadings.

Table 7-24.2b Revolon Slough and Beardsley Wash Trash TMDL: Implementation Schedule Minimum Frequency of Assessment and Collection Program *

Task No.	Task	Responsible Jurisdiction	Date
1	Conditional Waiver in effect.	City of Camarillo; City of Oxnard; Ventura County; Agricultural dischargers; Ventura County Watershed Protection District; Caltrans; Local land owners with conveyances	Regional Board adoption of TMDL.
2	Submit Notice of Intent to Comply with Conditional Waiver of Discharge Requirements, including MFAC/BMP Program and Trash Monitoring and Reporting Plan.	City of Camarillo; City of Oxnard; Ventura County; Agricultural dischargers; Ventura County Watershed Protection District; Caltrans; Local land owners with conveyances	Six months from TMDL effective date.
3	Implement MFAC/BMP Program.	City of Camarillo; City of Oxnard; Ventura County; Agricultural dischargers; Ventura County Watershed Protection District; Caltrans; Local land owners with conveyances	Six months from receipt of Notice of Acceptance from Regional Board Executive Officer.
4	Submit annual TMRP reports including proposal for revising MFAC/BMP for Executive Officer approval.	City of Camarillo; City of Oxnard; Ventura County; Agricultural dischargers; Ventura County Watershed Protection District; Caltrans; Local land owners with conveyances	Two years from effective date of TMDL, and annually thereafter.
5	Reconsideration of Trash TMDL based on evaluation of effectiveness of MFAC/BMP program.	Regional Board.	Five years from effective date of TMDL.

^{*} At Task 3, all Responsible Jurisdictions must be attaining the zero trash target after each required trash assessment and collection event. At Task 4, all Responsible Jurisdictions must demonstrate full compliance and attainment of the zero trash target between the required trash assessment and collection events. Based on Responsible Jurisdiction monitoring reports, the Executive Officer may adjust the minimum frequency of assessment and collection as necessary to ensure compliance between the required trash assessment and collection events.